Orby Switch Information Guide

Thank you for choosing Orby switch!

Orby Switch Information Guide

Thank you for choosing Orby switch!

Easy Installation

Orby utilizes the industry standard 3.5-mm plug. Simply plug Orby into the 3.5-mm jack on a switch-adapted device.

Important Note: A switch interface is usually required for connectivity to computers. (We recommend our Swifty and Tapio USB Switch Interfaces.)

Simple Operation

To activate your Orby, simply press anywhere on the top activation surface.

When pressed or released, you will hear a clear and audible "click".

Attaching High-Tack Friction Pad

The included high-tack friction pad can optionally be attached to the Orby base for stability and is held in place with pressure sensitive adhesive. To attach pad:

- $\checkmark\,$ Remove paper backing from pad to expose adhesive
- $\checkmark\,$ Orient pad cutouts to align with Orby threaded inserts
- ✓ Press pad into place



Easy Installation

Orby utilizes the industry standard 3.5-mm plug. Simply plug Orby into the 3.5-mm jack on a switch-adapted device.

Important Note: A switch interface is usually required for connectivity to computers. (We recommend our Swifty and Tapio USB Switch Interfaces.)

Simple Operation To activate your Orby, simply press anywhere on the top activation surface. When pressed or released, you will hear a clear

When pressed or released, you will hear a clear and audible "click".

Attaching High-Tack Friction Pad

The included high-tack friction pad can optionally be attached to the Orby base for stability and is held in place with pressure sensitive adhesive. To attach pad:

- ✓ Remove paper backing from pad to expose adhesive
- $\checkmark\,$ Orient pad cutouts to align with Orby threaded inserts
- ✓ Press pad into place



Specifications

Diameter 2.5-inches (64-mm) Height 0.872 (22-mm) Weight 2.75-ounces (80-grams) with Cable and Pad **Actuation Force** 3.5-ounces (100-grams) **Cord Length** 5-feet (1.5-m) Connector Type 1/8-inch (3.5-mm) Right Angle Headphone Plug **Threaded Inserts** #6-32, Brass **Friction Pad** 0.0625-inches (1.6-mm) thick **Internal Dampers High Density Urethane** Voltage Less than 32-volts Current Less than 1-Amp Conductors Rated for Severe Duty **RoHS*** Compliant

*RoHS (Reduction of Hazardous Substances) The European Union has implemented a requirement that certain substances above specified levels not be used in electronic devices imported into European Union Countries.

General Care

To keep Orby functioning properly:

Origin

😭 Instruments

- ✓ Disconnect Orby and wipe clean with a cloth dampened with water or alcohol
- ✓ Never immerse Orby in water or cleaning solution
- ✓ Do not pull on cord or wrap cord around Orby
- \checkmark Do not disassemble Orby. There are no user-serviceable parts inside.

Warranty and Customer Support Information

Your Orby switch includes a two-year limited warranty from Origin Instruments. The warranty begins on the date of purchase and protects you against defects in materials and workmanship.

Orby should not be used in an application where its failure would lead to property damage, injury or loss of life.

Origin Instruments Corporation 854 Greenview Drive, Grand Prairie, TX 75050 Ph: 972.606.8740 Fax: 972.606.8741 support@orin.com www.orin.com

Specifications

Diameter Height Weight Actuation Force Cord Length Connector Type Threaded Inserts Friction Pad Internal Dampers Voltage Current Conductors RoHS* 2.5-inches (64-mm) 0.872 (22-mm) 2.75-ounces (80-grams) with Cable and Pad 3.5-ounces (100-grams) 5-feet (1.5-m) 1/8-inch (3.5-mm) Right Angle Headphone Plug #6-32, Brass 0.0625-inches (1.6-mm) thick High Density Urethane Less than 32-volts Less than 32-volts Less than 1-Amp Rated for Severe Duty Compliant

*RoHS (Reduction of Hazardous Substances) The European Union has implemented a requirement that certain substances above specified levels not be used in electronic devices imported into European Union Countries.

General Care

To keep Orby functioning properly:

- \checkmark Disconnect Orby and wipe clean with a cloth dampened with water or alcohol
- ✓ Never immerse Orby in water or cleaning solution
- ✓ Do not pull on cord or wrap cord around Orby
- \checkmark Do not disassemble Orby. There are no user-serviceable parts inside.

Warranty and Customer Support Information

Your Orby switch includes a two-year limited warranty from Origin Instruments. The warranty begins on the date of purchase and protects you against defects in materials and workmanship.

Orby should not be used in an application where its failure would lead to property damage, injury or loss of life.



Origin Instruments Corporation 854 Greenview Drive, Grand Prairie, TX 75050 Ph: 972.606.8740 Fax: 972.606.8741 support@orin.com www.orin.com